


Upper San Pedro River, Arizona:







3,000 + miles of perennial rivers



At-risk basins in 2035

Equilibrium change caused by ground-water pumping Land surface Water table Ground-water system Bedrock

Upper San Pedro Partnership

21 agencies and organizations that cooperate in the identification, prioritization, and implementation of comprehensive policies and projects to assist in meeting the water needs of the Sierra Vista Sub-watershed of the San Pedro River.

Bella Vista Ranches/Water

Bureau of Land Management (BLM)

U.S. Geological Survey

Audubon Arizona

Arizona State Land Department

U.S.D.A. Agricultural Research Service

National Park Service

U.S. Forest Service


The Nature

Groundwater Sustainability

Development and use of groundwater in a manner that can be maintained for an indefinite time without causing unacceptable environmental, economic, or social consequences

-U.S. Geological Survey, 1999

Sustainable Yield of Groundwater



No Pumping

Pumping=Inflows

Sustainable yield assumes the consequences are acceptable

In the Past Decade...


- Groundwater deficit was 12,000 AF/YR in 2002
- Reduced by more than 50% by 2011
- Yields from management measures approximately 9,000 AF/YR
- Started with the "no regrets" projects, low hanging fruit

The Partnership provides incentive grants for water conservation projects to businesses and institutions across the watershed, including rainwater harvesting projects at schools












Integrated Water Management: Optimize in-basin strategies

- Diversify and optimize in-basin strategies to extent possible
- Result is maximum resiliency and minimized costs over the long-term



Wet/dry mapping 1999-2010

Integrated Water Management: Utilize Spatial Water Management

- Where we pump and/or recharge can be as important to rivers as how much we pump in intermediate time scales (years to multiple decades)
- Use spatial water management to reduce risk in interim period until longer term strategies (100 + yr) are implemented






Figure 5b. Computed increase of streamflow, riparian evapotranspiration, and springflow that would result for recharge of water to the uppermost model layer at a constant rate for 50 years. The color at any location represents the fraction of the recharge rate at that location that can be accounted for as changes in outflow to model boundaries representing streams, riparian vegetation, and springs.




Regional reuse and recharge to benefit both municipal pumping centers and the river **2050 Conditions** ombstone Gaging Sta.

meters 14.0



Innovation for Stormwater /Rainwater Capture

Runoff has increased from 2 percent of rainfall to 37 percent of rainfall with urbanization at this subdivision.



Integrated Water Management: Find black and white solutions (not gray)

- "Black AND white solutions" are only possible through use of strong technical tools and by building significant trust with other water users
- Can take significant time, commitment, expertise and funding

Integrated Water Management: San Pedro River

- Develop and promote new water management policies and practices that offer flexibility to managers in meeting economic social and environmental outcomes
- Incorporate flows that support natural resources into time-sensitive and critically important water management decisions
- Acclerate public and private investment in natural infrastructure and water management that sustains healthy river flows

Integrated Water Management: It's all a Matter of Time

- Initiate momentum: start with doable interim strategies that build knowledge, trust, understanding among partners
- Utilize spatial water management concepts for rapid responses, to reduce short-term risks
- Recognize additional needs for long term sustainability